NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 12:16
Last Report Issued 08/08/2011 07:50

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2089SP-POS
Patient ID 2089SP-POS
Chain 11001611
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 11001611

Received 08/08/2011 07:03

Sample ID 11001611-001
Matrix Serum or Plasma
Patient Name 2089SP-POS
Patient ID 2089SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2089SP Fluconazole, Serum/Plasma				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Fluconazole	50	mcg/mL	0.50	ELEVATED
Synonym(s): Diflucan®				
Single oral doses of 50 or 150 mg fluconazole resulted in peak plasma concentrations of 0.93 +/- 0.13 mcg/mL and 2.7 +/- 0.4 mcg/mL respectively. Peak plasma concentrations were 6.7 mcg/mL (range 4.1 to 8.1 mcg/mL) approximately 1 to 2 hours after a single 400 mg oral dose of fluconazole.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.