NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 12:19
Last Report Issued 09/09/2010 10:31

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2148B-POS
Patient ID 2148B-POS
Chain 10001748
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 10001748

Received 09/09/2010 10:27

Sample ID 10001748-001
Matrix Blood
Patient Name 2148B-POS
Patient ID 2148B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2148B Galantamine, Blood				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Galantamine	5.0	ng/mL	1.0	

Synonym(s): Galanthamine; Lycoremine; NSC-100058; Razadyne®; Razadyne ER®

Following a single 4 mg dose of the immediate-release tablet, mean peak plasma concentrations were reported to range from 16 - 28 ng/mL (within about 2 hours).

Following a single 8 mg dose of the immediate-release tablet, mean peak plasma concentrations were reported to range from 39 - 56 ng/mL (within about 2 hours).

Steady-state mean peak plasma concentrations using the 16 mg extended-release capsule were reported to range from 43 - 62 ng/mL (at a peak time of 3.5 - 5.7 hours).

The blood to plasma concentration ratio for galantamine is 1.2.

Results for sample 10001748-001 are continued on next page

NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Sample ID 10001748-001
Matrix Blood
Patient Name 2148B-POS
Patient ID 2148B-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.