



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/03/2020 11:58
Last Report Issued 10/25/2019 08:22

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 6303U-POS
Patient ID 6303U-POS
Chain 19001854
Age Not Given DOB Not Given
Gender Not Given
Workorder 19001854
Received 10/24/2019 10:40

Sample ID 19001854-001
Matrix Urine
Patient Name 6303U-POS
Patient ID 6303U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for Creatinine, Cadmium, and Antimony.

Results for sample 19001854-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 19001854-001
Matrix Urine
Patient Name 6303U-POS
Patient ID 6303U-POS

Collect Dt/Tm Not Given
Source Not Given

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for Antimony and Mercury (Creatinine corrected) with results of 8.0 and reporting limits of 1.0.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.