



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/14/2022 23:54
Last Report Issued 12/15/2008 10:41

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9118B-POS
Patient ID 9118B-POS
Chain 1
DOB Not Given
Sex Not Given
Workorder 06012885
Received 11/10/2006

Lab ID 06012885-001
Matrix Blood
Patient Name 9118B-POS
Patient ID 9118B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

9118B Brompheniramine Screen, Blood

Analysis by Gas Chromatography (GC)

Table with 5 columns: Brompheniramine, 5000, ng/mL, 10, ELEVATED

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

5463B Brompheniramine Confirmation, Blood

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Table with 5 columns: Brompheniramine, Confirmed, ng/mL, 10

Synonym(s): Dimetane®; Dimetapp®
Therapeutic range: 5 - 15 ng/mL.
Toxic: Greater than 500 ng/mL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.